

| <u> </u> | Application No. | Applicant(s) |
|--|---|------------------------------|
| | Application No. | Applicant(s) |
| Notice of Allewahility | 10/550,969 | RIEDHAMMER, MICHAEL |
| Notice of Allowability | Examiner | Art Unit |
| | Michael Leslie | 3745 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to | | |
| 2. Maria The allowed claim(s) is/are <u>5-8</u> . | | |
| 3. | | |
| 2. Certified copies of the priority documents have been received in Application No | | |
| 3. Copies of the certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| | | |
| International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| Attachment(s) | | Outside Amelia etter |
| Notice of References Cited (PTO-892) D Notice of Draftperson's Patent Drawing Review (PTO-948) | 5. ☐ Notice of Informal I 6. ☐ Interview Summary | • • |
| 2. Notice of Dranperson's Patent Drawing Review (F10-946) | | |
| Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 9/26/2005 | Paper No./Mail Da 7. ☐ Examiner's Amend | ment/Comment |
| 4. Examiner's Comment Regarding Requirement for Deposit | 8. X Examiner's Statem | ent of Reasons for Allowance |
| of Biological Material | 9. | |
| | | |
| | | |
| | | |

Art Unit: 3745

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The instant invention has been deemed an unobvious improvement over U.S. 6,658,842

to Yamasaki et al and DE 4439454 to Ende. Yamasaki et al (Fig. 1) and Ende (Fig. 2) each

disclose a hydraulic system wherein fluid is delivered from a reservoir via a hydraulic pump to a

consumer having a piston space and at least two fluid delivery lines such that in a non-actuated

condition a first fluid delivery line is connected to the reservoir and a second pressure delivery

line is connected to the pump, and in an actuated condition the first fluid delivery line is

connected to the pump and the second delivery line is connected to the reservoir. The unobvious

improvement includes that in the actuated condition the both the first and second fluid delivery

lines are connected to the pump delivering fluid to the pressure space at the same pressure.

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

CONCLUSION

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Michael Leslie whose telephone number is (571) 272-4819. The

examiner can normally be reached on M-F 8:00am - 4:30pm.

Application/Control Number: 10/550,969

Art Unit: 3745

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Edward Look can be reached on (571) 272-4820. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ML

September 28, 2006

Michael Leslie

Patent Examiner

Page 3

AU 3745